2600 ALBANY AVENUE

WEST HARTFORD 7, CONNECT

THE PETER CASCIO NURSERY

Perennial List

.85 each . . . 3 for \$2.25, unless otherwise noted. F stands for frame. Example: F8-(90) means Frame #8-90 plants.

LIBRAR RECFITED APR1 7 1958

U. S. Department of Agriculture

ACHILLEA

Yarrow Angel's Breath — new variety — large clusters of double pure white flowers on 30" stems. July-August. F23-(25)

—taggetea. Pale yellow flower clusters on sturdy 18" stems. June until September. F23-(30)

—tomentosa. Wooly Yarrow. Compact green mats of foliage — large clusters bright yellow flowers—6"—June. F8-(7) F23-(24)

AJUGA

Bugle

—genevensis. A fine ground cover — forms dense spreading mats of dark green leaves with spikes of dark blue flowers 6-8" — May and June — fine in sun or shade. F5-(18) . . . 3" pots. .50

-reptans coloratus. Spreading habit as genevensis — white-green variegated leaves — light blue flowers — good for sunny spots. F5-(500) . . . 3" pots .50

-reptans variegata rubra. Carpet Bugle. forms dense spreading mats of bronze-green foliage and deep purple flowers on 6-8" stems. May and June. F5-(160) . . . 3" pots

ALTHAEA rosea

Hollyhock

6-8' tall — good background for flower borders — need a well drained heavy manured soil and full sun.

-Newport Pink. F10-(130)

-Yellow. F10-(200)

ALYSSUM

Madwort

-saxatile. Basket of Gold

-saxatile citrinum. A bright profusion of clear pale yellow flowers. April and May. 9-12" tall. F8-(3) F16-(90)

-saxatile Silver Queen. Easily grown almost anywhere in open sunlight. Leaves grayish-numerous; plant forming dense mats or clumps. A particularly fine strain for pavement planting because of its dwarf habit. Flowers in numerous clusters. F14-(60)

ANCHUSA Alkanet or Bugloss —azurea Dropmore. Bright gentian blue flowers on 4' stems. June-July. Ideal for background planting. FG-(30) 1.00

-myosotidiflora (now Brunnera)

—Brunnera macrophylla. Forget-me-not Anchusa. When in bloom it's like a big Forget-me-not. Clear sky-blue flowers on 12" stems in late April and May. Very hardy — good in sun or shade. F5-(12) . . . 3" pots .50 F23-(30) 1.00

ANEMONE

—Pulsatilla. Pasque-Flower. Lavender to purple flowers in early spring — 8"; April-May. Decorative feathery seed pods. F17-(23)

AQUILEGIA

Columbine

—chrysantha. Silver Queen. Long-spurred flowers on 2½' plants; June and July. F7-(110) F22-(60)

—mixed. Wide range of colors. F8-(14), F8-(7), F22-(22)

ARABIS Rock-Cress —alpina. Mountain Rock-Cress. Dense masses of pure white flowers. April-June. 8-10" tall. Excellent for the rockery and front of flower border. F5-(85) ... 3" pots

ARCTOSTAPHYLOS uva-ursi Bearberry

Prostrate, ground cover stems often 5-6' long and rooting at joints to form large patches of handsome evergreen foliage that turns bronzy in winter. Flowers white or pink—red berries. F15-(1) 1.50

ARMERIA

—(cephalotes rubra) pseud-armeria. 8-10"; deep pink flowers freely produced from neat cushion-like plant. May-June. Good for edgings and rock gardens. F23-(22)

-maritima. Summer blooming, low, perennial herbs. Not over 12" high. Narrow leaves. F23-(

—alpinus. Rock Aster. Mostly a rock garden species. Usually less than 10" high. Ray flowers blue or violet — the heads solitary — 1½" across — May. F6-(84)

-Blue Gown-tall. CI-(25)

-County of Dudley dwarf - blue. CI-

-Frikarti - Wonder of Staffa. Lavender-blue flowers 2-2 1/2" across with contrasting small yellow center. June until frost. F23-(30)

—Harrington's Pink. Fine silvery rose flowers — 4' high. June-November. CI-

-Mount Everest—tall—white. CI-(25)

ASTILBE

—Avalanche. Deeply cut attractive foliage with plumes of pure white flowers on 18" stems. F24-(27) 1.25
—Bremen. Feathery spires of soft rose flowers on 18" stems. F24-(27)

—chinensis persica. Spirea-like herb. Small flowers borne in profuse, spire-like clusters, blooming mostly in June, but often continuing 'til August. Handsome border plant. F22-(10) 1.25

—Red Fanal. Deep green sturdy foliage forming compact full plants with brill liant carmine red closely set flower clusters on 18" stems. F24-(27)

-Rheinland. Clear pink full flower spikes on well branches plants. F24-(25)

-mixed. F22-(7)

1.00

BAPTISIA False Indigo —australis. Deep indigo blue spikes of flowers on 3' stems—June. F12-(30) .85 F6-(25)

Brunnera macrophylla (see Anchusa)

CAMPANULA Bellflower —carptica blue. Carpathian Harebell. Plants form perfect, dense mounds of foliage with masses of erect clear blue bells facing upward; blooming from June-October; 8" tell F16-(30)

—carpatica alba. White Carpathian Harebell Plants form perfect dense mounds of foliage with masses of white bells facing upward; blooming from June until October; 37 tall. F9(11)

-carpatica. Elantines var. garganica Gargans Harebell. Densely formed clusters of heart-shaped leaves forming a trailing mat covered with bloom in June. Flowers are bright blue, star shaped with a white eye. Sun or shade. Especially recommended for rock walls or hanging over rock ledges. F10-(15) 1.00

—medium alba. Single white Canterbury Bells are grown as biennials. 2-3'—May-June. F12(72)

—medium pink. Pink Canterbury Bells; single; 2-3'—May-June. F12(84)

—persicifolia grandiflora alba. Large white bell-shaped flowers. June-July. 2' tall. F12-(45)

—persicifolia grandiflora blue. Large clear blue bell-shaped flowers. June-July. 2' tall. This is the hardy Peach Leaf Campanula. F8-(200) .75 F14-(40)

CENTAUREA

Perennial Bachelor's Button -montana. Montana Bluet. Large violet June to early August. Showy—good cut flower. Often called "Ragged Sailor". F10-(100) F8-(3) 1.00

-dealbata. All summer blooming strong perennial with delicate lilac-rose and cream 4" large flowers 12-18" high. F8-1.00

CERASTIUM Snow-in-Summer -tomentosum. Silvery gray foliage clouds of starlike flowers—May-June—6" high. Good for slopes and rock gardens on the sunny side. F8-(40) F23-

Date of

862896

-

GARDEN CHRYSANTHEMUMS

| One of the must p | opular perenni | als for cutting. | To get bushy |
|----------------------|----------------|------------------|-----------------|
| plants, pinch back t | he new growth | until the middl | e of July. Feed |

There are a great many new varieties introduced every year. The following we consider the best of the tried varieties.

.85 each . . . 3 for 2.25 . . . large clumps 1.00

| | | Date of | |
|-----------|------------------------------------|--|-------|
| | Cushion and Button | Bloom | Quan. |
| Apricot | Glow-apricot bronze cushion- | Sept. 20 | |
| | Cushion—medium; bronze turning | Copt. Lo | |
| | pery yellow | Sept. | 1 |
| | | | 11 |
| | -deep lemon yellow buttons | Sept. | 11 |
| Golden | Cushion—deep yellow, red streaks | Sept. 15 | |
| Lipstick- | -most popular red cushion | Sept. 25 | |
| | ushion—bright salmon pink buttons | Sept. 25 | 2 |
| | rosy purple with yellow heart | Oct. 1 | 11 |
| | | | 6 |
| | -creamy white pompom, 18" | mid-Sept. | 0 |
| | Puff—best of all white cushions | | 11 |
| White V | Vonder—white pompoms | Sept. Oct. | 7 |
| Yellow | Supreme—compact mounds golden | 3 2 1 2 2 1 | |
| | | at Sept. 20 | |
| Jenov | Double Garden Varieties | to Ecpt. 20 | |
| A J | | | 00 |
| Admiral | | | 20 |
| | lark purplish pink; big decorative | The state of the s | |
| flower | 18-24" | Sept. | 15 |
| | | and the same of the same of | |

| Double Garden Varieties (Continued) | Bloom | Quan. |
|---|--|---------|
| Alex Cumming-4" flowers-cerise to rose- | A Plant Land | |
| gold tinted 2½' | Oct. | |
| Avalanche—18"—beautiful full double white | e Sept. 20 | |
| Betty—one of the finest new pinks— | | |
| 3" flowers—tall grower | Oct. 1 | |
| Cardinal Spoon—red and gold | Oct. 1 | |
| Carnival—Glowing double orange and | The state of the s | |
| bronze flowers | Oct. 10 | |
| Charles Nye-large golden yellow-full | | |
| double flowers—free bloomer—2' | late Sept. | |
| Chippewa—large aster purple flower— | | |
| petals incurved | mid Sept. | |
| Christopher Columbus—outstanding ivory | 1100 | STORY . |
| white pompon—2' | Sept. | 12 |
| Evangeline—soft pink—2½' | Sept. | 7 |
| Goldrush—beautiful yellow | | 21 |
| Lavender Lady—2½' fragrant large silvery-lavender | lata Cant | |
| Olive Longland—large 3" blossoms—rich | late Sept. | |
| apricot blended with soft salmon pink | late Sept. | |
| Red Velvet—large velvety dark crimson | rate bept. | |
| | October 5th | |
| Ronold—claret red with violet sheen—2' | Oct. | 4 |
| | | |

Chrysanthemum maximum. Shasta Daisy. Blooms all summer with pure white flowers with yellow center—2' high.

—Alaska. Large single white daisy with yellow center. Blooms early in June and July. F7(128)

—Diener's Giant. Giant form of Shasta Daisy. F7(94)

COREOPSIS grandiflora

Large golden yellow flowers; long stemmed — excellent for cutting. F14 (72)

DELPHINIUM Belladonna

Light Blue Improved Cliveden Beauty. Large flower, strong grower; good for cutting—3-4'—June and Sept. F17(30)

—Bellamosum improved. Large deep blue with a white bee. 3-4'—June-Sept. F17(27) 1.00

Pacific Hybrids

—Black Knight. Darkest of all — deep midnight — violet flowers of beautiful round form with heavy velvety texture. 3-4'—June and Sept. F17(80) 1.25

—Blue Jay. Brilliant true medium blue with dark bee — 3-4' — June and Sept. F17(50) 1.25

—Galahad. Giant glistening pure white florets with white bee. F17(50) 1.25

—mixed. Truly outstanding for cut flowers—immense size on straight stems—3-4'; June and Sept. F17(32) 1.25

DIANTHUS barbatus Sweet William Grown as a biennial.

-Newport Pink. The finest salmon-pink color. F16(75) F7(110)

—plumaris. Border or Cottage Pink — Double early mixed border pinks blooming profusely in early spring. Spicy fragrance. F22(36)

DICENTRA

Bleeding Heart

—eximia. Dwarf plumy bleeding heart.

All summer blooming border plant with fine fernlike foliage and showy pretty pink flowers. Does best in shady places. 15" high. Native from New York to Georgia. F23(30)

—spectabilis. Long racemes of graceful heart-shaped flowers. May-June. 18-24" high. F13(90) in 6" cans 1.25

DIGITALIS Foxglove grown as biennial.

—Shirley Hybrids. The color of the big flowers of this perennial ranges from white to deep pink, spotted crimson to dark brown, 4-5' high. F7(20) F16(25)

DORONICUM Leopards-Bane
—caucasicum var. magnificum. These
large yellow daisy-like flowers bloom in
early spring. 2' high. Excellent for cutting. F6(120)

-excelsum. Large yellow Margueritelike flowers in early spring. F8(48) 1.00

ECHINOPS Globe Thistle
—Taplow Purple. Globe shaped deep
blue flowers on 3' stems; June-Aug.
Each floret edged with silver giving a
soft shading—ideal summer cut flower.
Full sun. F24(30)
1.00

ERIGERON speciosus Fleabane Violet-blue, aster-like flowers with yellow centers; blooms June-July—18"-24" high. Sunny location. F23(30)

EULALIA now named Miscanthus
Miscanthus zebrinus. Banded yellow and

Miscanthus variegatus. White or yellowish stripes. F8(30)

EUPHORBIA Cushion Spurge
—epithymoides. 1' high—covered with
yellow flowers—May-June—also decorative after blooming in the border. F8(6)
F23(30) 1.25

FUNKIA (Hosta) Plantain Lily
—Sieboldiana (glauca). Short-cluster
Plantain Lily. One of the best perennials
for shady places as ground cover or edging—blue-gray foliage—purple flowers
in late summer. F23(21) 1.25

—plantaginea subcordata alba. Fragrant Plantain Lily. Sweet scented — grows best in shady area. Very large lily-shaped fragrant white flowers. F23(32)

—undulata variegata. Wavy-leaved Plantain Lily. Large dark green leaves variegated with silvery white. Spikes of blue flowers. July-Aug. F23(30) 1.25

GAILLARDIA grandiflora

Blanket Flower
—Giant English Hybrids. Red-orangeyellow flowers with dark brown hearts
all through summer on 2' tall sturdy
stems. F16(12)
1.00

GEUM Avens
—Lady Stratheden. Rich golden yellow blossom; grand for cutting. 18-24" high. Nice foliage makes them attractive in front of border; also when not in bloom. F14(37) F22(120)

—chiloense-Mrs. Bradshaw. A superb variety—large double fiery orange-red, blooming nearly all summer. 18-24" high. Good for cutting. F14(50)

GYPSOPHILA

Baby's Breath

Bristol Fairy. Great airy sprays of
double white flowers in bloom throughout the summer. Unsurpassed for use in
mixed flower arrangements. F17(50)

—paniculata. The feathery blooms are most valuable for winter bouquets. F8 (5)

—perfecta-double. New improved Baby's Breath — introduced from Europe — stronger grower and double sized flowers. F6(32) 1.75

—repens Rosy Veil. Dainty double blush pink flowers in great sprays on bushy plants — 2' tall — 2' broad. Blooms 2 weeks earlier than tall double Gypsophila. F24(30) 1.00

HELENIUM Helen's Flower
—Riverton Beauty. Bushy 4' plants;
flowers yellow, high-lighted with tints of
orange. Aug-Sept. F6(25)
1.00

HELLEBORUS niger Christmas-Rose Evergreen palm-like leaves—blooms in Dec. Jan. Feb. depending on location. Large single bell-like flowers which last for weeks. F14(33) 2.50 HEMEROCALLIS Day-Lily Coppery red with velvety carmine mid zone—good for cutting; Aug.-Sept. F17 (23)

—J. A. Crawford. Large rich apricotyellow blooms well above the rich foliage—3½'—June-July. F17(23) 1.00

—Cressida. Large magnificent deep orange, with a faint reddish star in the throat which highlights the color. July-Aug. F24(24)

—Greenbrier. The Lily-like flowers are rich golden orange overlaid with an apricot-peach glow — a bright star of crimson at the throat highlights this appealing color. 3½'; July-Aug. F6(26)

—Hyperion. Huge, clear yellow flowers 6" across; 3½' high — July-Aug. F24 (30)

—Kwanso. Double Daylily — gorgeous gold with crimson star—3½; July-Aug. F24(27)

—miscellaneous in wide range of colors. F8(15) F24(22)

-yellow. F10(12) F12(4) 1.00

HEUCHERA Coral-Bells
Dainty pink bells densely bundled on long spikes. F8(10) .85

—Pluie de Feu. Brilliant red bells hang from straight wire stems 2' tall; June, July and Sept. F23(25) 1.00

HOSTA-see Funkia

IBERIS sempervirens Candytuft Half shrubby plant with dark green foliage; pure white blooms. For Rockgardens. F5(105)...3" pots .50

—Snowflake. More compact growing than sempervirens; larger, whiter flowers; special for edging, rockgardens and window boxes. F8(100) 1.00

IRIS

—germanica. Bearded Iris. One of the easiest to grow of perennials. Flowering in late May and June. F12(16)

—Lady Boscawen. New, ruffled white; May-June. F12(18)

—Ola Kala. Deep yellow, ruffled, fine; May-June. F12(22)

—Pink Cameo. New flamingo; pinkviolet influence; tangerine beard; May-June. F12(24)

—Solid Mahogany. New, dark mahogany red; May-June. F12(20)

—mixed in wide range of colors. F12 (100)

-Kaempferi. Japanese Iris

—Fascination. Light powder blue veined white. June-July. F12(10)

—Mount Hood. Double dark blue; June-July. F12(30)

—Queen of the Blues. Light orchid blue with broad petals lightly veined white; June-July. F12(20) F24(27)

—Repseme. Purple and gold; June-July. F12(10)

-Pumila, dwarf. Dwarf 4"; May. F12 (26)

LAVANDULA Lavender

—vera. This is the true sweet lavender, the fragrant flowers which come from July until Sept. May be dried and used in your linen closet for their delightful fragrance. F8(9)

1.25

LIATRIS Blazing Star—Gayfeather.
—September Glory. Giant 6' spikes, solidly covered with purple flowers from top to bottom. F23(25)

LILIUM
—candidum. Madonna Lily; white, fragrant; 4-6'; sunny location. July. F18 (60)

—Henryi. Strong yellow lily; 3-4'; part shade; July. F7(24) in 8" cans 1.25

--- Orange Triumph. F3(44) 1.25

—regale. Regal Lily. White throat —flushed yellow outside of petals rose —3-4'; July. F3(34) 1.25

—speciosum rubrum. Rose, margined white, spotted deeper rose in throat; 3-4'; Aug-Sept. Fragrant. F3(23) 1.25

—umbellatum. Yellow-orange. F3(17)

NUM

-perenne. Very pretty, pale blue flowers on slender stems; 2' F16(47)

Flax

LOBELIA cardinalis Cardinal Flower Showy scarlet flowers on spikes 24-30" long; moist shady location; summer bloom. F22(60)

LUPINUS

Russell hybrid rainbow mixture of bicolors and tricolors all in pastel shades; 3-5' tall; June-July. F17(20)

1.25

LYCHNIS Catchfly
—chalcedonica. Maltese Cross. Leafy
2½' stems, crowned with brilliant scarlet Maltese Cross flowers; June-July.
F17(25) 1.00

LYTHRUM Salicaria
—Morden's Pink. Sturdy full flowered
spikes of beautiful clear deep pink; July
until fall. 3'. F24(25)

MERTENSIA Virginia Bluebells
—virginica. Blooms in early spring —
blue bell-shaped flowers fading to pink

—likes a shady place. $1\frac{1}{2}$ tall. F22(25)

MISCANTHUS—see Eulalia

MONARDA didyma Bee-Balm
—Cambridge Scarlet. Brilliant crimson;
June-Aug. 2-3' stems — sun or semishade—almost any soil. F8(7) F6(28)
1.00

NEPETA Catmint
—Mussini. Grey-green foliage; lavender
blue flowers; May-Oct. 1'; likes a sunny
dry location; good for edging and rockgardens.

F5(38) . . . 3" pots .50 F16(90) . . . 6½" p. pots .85 **OENOTHERA**

—missouriensis. Ozark Primrose, Great clear yellow single blooms 4" across; about 6" high; June-Aug. F6(28) F8 (7)

PACHISTIMA

—Canbyi. Evergreen; charming as a groundcover in front of evergreens — spreads to about 18"; never grows over 8" high. F15(2) CI(100) 1.00

PACHYSANDRA terminalis

Japanese Spurge

Groundcover; evergreen potgrown plants that start spreading immediately after planting and cover 4 times as fast as rooted cuttings. 8" tall. F14(700) ./. . 2½" pots .35 ea. 25.00 C

PAEONIA Peony

—Baroness Schroder. Very large rosetype flowers; white with pink shadings; very fragrant—late. Flowers last a long time. F18(2) 1.75

—edulis superba. Very early, dark pink, fragrant; end of May; large, loose flat crown when fully open. F18(11) 1.75

Felix Crousse. Midseason, brilliant rose-red, medium to large, globular. F18(11)

—festiva maxima. Double flowered large white with a few crimson markings on central petals; early June. F18 (2)

—Mme de Verneville. Double blush white with crimson marks on tips of some petals; rose-like fragrance. F18(8)

—Mary Brand. Double red; early June; good for cutting. F18(5) 1.75

—Mons. Jules Elie. Double medium pink; early June. One of the largest and most lasting when cut for arrangements —dense globular soft pink with incurved center of silvery pink. F18(10) 1.75

—President Roosevelt. Double red; midseason; large, fragrant. F18(5) 1.75

—Prince of Darkness: Dark red, double; early June. F18(2) 1.75

—Reine Hortense. Soft shell-pink color; center petals marked carmine; tall stiff stems; mid-season; very fragrant. F18 (3)

—Richard Carvel. Like Felix Crouse but better in size of bloom; very early. F18 (9) 1.75

—Walter Faxon. Double vivid coralpink; fragrant; early June; one of the best and unusual pinks. F18(6) 1.75

-mixed in varieties 2.00

Tree Peonies

suffruticosa F15(15)...8" cans 6.60 F15(12)...12" cans 6.60

PAPAVER Oriental Poppy—Barr's White. Large pure white flowers with purple-black spots; free blooming and healthy grower. May-June; 3-3½'. F24(10)

—Glow Purple. F24(3) 1.25 —Helen Elizabeth. Clear LaFrance pink no dark spots; straight stems; about 3' high. F24(22) 1.25 Olympia. Double; orange-scarlet.

Olympia. Double; orange-scarlet. F24(8)

—Mrs. Perry. Salmon pink. F24(10)

—Sass Pink. Fine large flesh pink with gray mauve center. F24(10) 1.25

gray mauve center. F24(10) 1.25

—Tangerine. F24(10) 1.25

-White Queen. F24(10) 1.25

-Wurtembergia. Large dark rose red. F24(10) 1.25

PHLOX decussata Hardy Phlox
—Africa. Sparkling carmine red with a
blood red eye; long pyramid clusters.
Large florets; good stem; not subject to
mildew. F6(60)

—Daily Sketch. Giant trusses of large, light salmon-pink with crimson eye florets make this variety one of the most popular; 3½' high; July-Aug. CI (50)

—Elizabeth Arden. Very large florets of medium pink and pale pink, circling red eye; dwarf; compact grower; 24-30"; July-Sept. F6(50)

-Ethel Pritchard. Rose lavender; July-Aug.; strong grower. CI(50) 1.00

—Leo Schlageter. Bright crimson-scarlet; July-Aug. Best of the red growers. F24(34)

—Mary Louise. As white as carrara marble; medium height; the finest white; English favorite. CI(50) 1.00

-Progress. Lovely light blue, dark purple-blue eye; large flower heads and florets; July-Aug.; dark foliage. F24 (30)

—Sir John Falstaff. Big salmon-pink florets; 2-3'; July-Sept. Outstanding vigorous grower. F24(60)

—Taneger. Huge salmon-red giant trusses with big florets; 2-3'; July-Sept. F6(47)

—White Admiral. Large heads; snowy white florets 2-2½'; July-Sept. New, fragrant. F24(50)

-mixed decussata. F5(9) .7

PHLOX SPECIES

Phlox dicaricata Blue Phlox 10"; April-May. CI

Phlox nivalis setacea

Camla Creeping Phlox Profusely blooming in May-June with pure white 6-8" florets; excellent new variety for rock and wall gardens. A treasure from England. Stays compact. F23(38)

Phlox subulata Ground or Moss Pink

-Crimson Beauty

Brilliant red; early spring. F8(10) F23(30)

alba

Snow white; fine for flagging, banks and dry walls. F23(30)

Vivid Bright pink with dark pink eye; a choice dwarf Phlox; early spring. F23(30)

Phlox suffruiticosa Early Phlox

—Miss Lingard
Pearly white flowers delicate pink tint
near center; indispensable as a cut flower; early June-Aug. 2'. F24(50)

PLATYCODON grandiflorum

Balloon Flower Blooms all summer from July on; 20" high; very satisfactory in sunny places. F22(150) blue. F22(150) White.

POLEMONIUM caeruleum

Jacob's-Ladder Light blue flowers; April-May; 12". F8 (10)

POTENTILLA Cinquefoil
—Snow White. F8(9)
1.00

PRIMULA Primrose
—japonica. Bold, strong growing Primrose that likes a wet spot and light shade; wide range of colors; early spring. F17(25)

1.00

—veris. — Ellen Carder. Rich range of pastel tones. F11(450) F16(144) F20 (750)

PYRETHRUM Painted Daisy Showy flowers on 2' long stems in a wide range of colors; very good for cut flowers; May-June. F16(80)

RUDBECKIA Coneflower
—Goldsturm. Deep yellow daisy-like
flowers with dark bronze cone centers;
June through summer. F8(6) F23(48)

SALVIA Gentian Sage
—patens. Large, splendid blue flowers in spikes. July-Sept. 18" high. F12(75)

SAPONARIA Rock Soapwort
—ocymoides. Broad, spreading leafy
plant covered with bright pink flowers
nearly all summer; 8" F8(4) F23(30)

SCABIOSA

—caucasica. Flowers very large and of beautiful form; colors ranging from azure-blue and lavender to deep blue and silvery-white; June to fall; 18". F6(36) F23(24)

SEDUM Stonecrop

—acre elegans. Succulent plant; tips silvery on light green foliage; bright yellow flowers. May-June. F5(47)...

3" pots .50

—album murale. Dark green foliage; pink-white flowers. F5(68) .75

-kamtschaticum. Orange-yellow flowers; 9"; June. F5(2) . . . 3" pots .75

—spectabile Brilliant. Heavy thick greygreen foliage with flower clusters of bright rose-red. Aug.-Oct. 15". F22(7) F23(30)

—spurium Dragon's Blood. Dark carmine red flowers July-Oct. on reddish bronze dense foliage; 2" high in solid clumps; good for rock gardens, dry walls and flagging. F5(30) F23(23) ... 3½" pots

SEMPERVIVUM Hens and Chickens F5 (77) . . . 3" pots .50

STOKESIA caerulea Stokes Aster—blue
12-15". June-Nov. F420(32)

TEUCRIUM Germander
—Chamaedrys. Deep green foliage on
dwarf, compact bushy shrub-like plants.
Excellent for small hedges; lavender
pink spiky flowers. F5(80)...3½" pots

THALICTRUM Meadow-Rue
—aquilegifolium. Graceful blue-gray
airy foliage; light lavender and white
flowers; 3-4'; June-July. F8(120)

THERMOPSIS Carolina Lupine—caroliniana. Lovely lupine-like yellow flowers on deep green foliage; $3\frac{1}{2}$ -4′ tall; June-July. F7(45)

THYMUS Thyme
—Serpyllum vulgaris Lemon Thyme

—(citriodorus). For planting in between flagstones and rock wall gardens. F14(75)

—Serpyllum variegatus lanuginosus.

Wooly Thyme.
Gray wooly foliage with bright pink
flowers; June-July. F5(7)

TROLLIUS Globe Flower
—Serpyllum vulgaris Lemon Thyme
flowers; 2' high; April-May. F8(5)

VERBASCUM Mullein

—Harkness hybrid. Graceful spikes of
yellow flowers; 3-4' high; June-Sept.
F10(40) 1.00

VERONICA Speedwell

—Crater Lake Blue. Rich blue, spiky
flowers 18" tall; summer flowering. F131
(8)
1.00

—Icicle. White spikes 15" tall; keeps on blooming all through summer. F216 (25)

—incana. Bright silvery foliage with clear blue flower. July-Sept. F8(9) F17 (70)

-rupestris. Heavenly Blue. May-June; trailing plant 2" high. F8(20) F22(10)

—spicata. Long spires of violet-blue on 20" stems. July-Aug. F7(144) .75

VINCA Myrtle. Periwinkle
—minor. Running Myrtle. Attractive
groundcover of dark green foliage on
runners reaching several feet. Deep blue
flower. May and June. F25(300) F27
(150) .35 each; 3.00 for 10; 25.00 for

—Bowles variety. Larger leaves; blooms more profusely with bigger, bluer flowers. F30(700) .65 each; 5.50 for 10; 45.00 for 100

VIOLA odorata Sweet Violet Giant sweetly scented violets on long stems; early spring and late fall. F14

(60)

TH

If we publish a garden shop list, we will forward one to you.

| Page | No. | Page | e No. | Page | No. |
|---|-----|---|-------|---|-------|
| Achillea (Yarrow) | 41 | Digitalis (Foxglove) | 42 | Nepeta (Catmint) | 43 |
| Ajuga (Bugle) | 41 | Doronicum (Leopards-Bane) | 42 | | |
| Alkanet (Bugloss) | 41 | Eskinson (Clabs Whistle) | 40 | Oenothera Ozark Primrose | 43 |
| Althaea rosea (Hollyhock) | 41 | Echinops (Globe Thistle) Erigeron (Fleabane) | | Dochistima | 49 |
| Alyssum | 41 | Eulalia (Miscanthus) | | Pachistima | |
| Anchusa (Alkanet) | 41 | Euphorbia (Cushion Spurge) | | Paeonia (Peony) | |
| Anemone pulsatilla | 4.4 | Euphorbia (Cusmon Spurge) | 44 | Painted Daisy (Pyrethrum) | |
| (Pasque Flower) | 41 | False Indigo (Baptisia) | 41 | Papaver (Poppy) 43 | 11 |
| Angel's Breath Achillea | 41 | Flax (Linum) | 43 | Pasque-Flower | , 22 |
| Aquilegia (Columbine) | 41 | Fleabane (Erigeron) | 42 | (Anemone pulsatilla) | 41 |
| Arabis (Rock-Cress) | 41 | Forget-me-not | | Peony | |
| Arctostaphylos (Bearberry) Armeria (Thrift) | 41 | (Brunnera see Anchusa) | | Periwinkle (Vinca, Myrtle) | 44 |
| Aster | 41 | Foxglove (Digitalis) | | Phlox | 44 |
| Astilbe | 41 | Funkia (Plantain-Lily, Hosta) | 42 | Plantain-Lily (Hosta, Funkia) | 43 |
| Avens (Geum) | 42 | Gaillardia (Blanket Flower) | 42 | Platycodon (Balloon-Flower) | 44 |
| Avens (deam) | | Gayfeather (Liatris) | | Polemonium (Jacob's Ladder) | 44 |
| Baby's Breath (Gypsophila) | 42 | Germander (Teucrium) | | Poppy (Papaver) 43 | |
| Bachelors Button (Centaurea) | 41 | Geum (Avens) | 42 | Potentilla (Cinquefoil) | |
| Baptisia (False Indigo) | 41 | Globe Flower (Trollius) | 44 | Primrose (Primula) | |
| Bearberry (Arctostaphylos) | 41 | Globe Thistle (Echinops) | | Primula (Primrose) | |
| Bee Balm (Monarda) | 43 | Gypsophila (Baby's Breath) | 42 | Pyrethrum (Painted Daisy) | 44 |
| Bellflower (Campanula) | 41 | Helenium | 42 | Rock-Cress (Arabis) | 41 |
| Blanket Flower (Gaillardia) | 43 | Helen's Flower (Helenium) | | Rudbeckia (Coneflower) | |
| Blazing Star (Liatris) | 43 | Helleborus (Christmas Rose) | | Rudbeckia (Conenower) | 44 |
| Bleeding Heart (Dicentra) | 42 | Hemerocallis (Daylily) | | Salicaria (Lythrum) | 43 |
| Bluebells, Virginia (Mertensia) | 48 | Hens and Chickens (Sempervivum) | | Salvia, Blue | |
| Border Pink (Dianthus plumaris) . | 42 | Heuchera (Coral-Bells) | | Saponaria (Rock Soapwort) | 44 |
| Bugle (Ajuga) | 41 | Hollyhock (Althea rosea) | | Scabiosa | 44 |
| Bugloss (Anchusa) | 41 | Hosta (Funkia, Plantain-lily) | | Sedum (Stonecrop) | 44 |
| Brunnera see Anchusa | 41 | | | Sempervivum (Hens and Chickens) | 44 |
| | | Iberis (Candytuft) | | Shasta Daisy | |
| Campanula (Canterbury Bell) | 41 | Iris | 43 | (Chrysanthemum maximum) | 42 |
| Candytuft (Iberis) | 43 | Jacob's Ladder (Polemonium) | 44 | Snow-in-Summer (Cerastium) | 41 |
| Canterbury Bell (Campanula) | 41 | Japanese Spurge (Pachysandra) | 43 | Soapwort (Saponaria) | 44 |
| Cardinal Flower (Lobelia) | 43 | vapanese Spurge (rachysandra) | 40 | Speedwell (Veronica) | 44 |
| Carolina Lupine (Thermopsis) | 44 | Lavandula (Lavender) | 43 | Spurge, Cushion (Euphorbia) | 42 |
| Catchfly (Lychnis) | 43 | Lavender | | Spurge, Japanese (Pachysandra) | 43 |
| Catmint (Nepeta) | 43 | Leopards Bane (Doronicum) | | Stokes Aster (Stokesia) | 44 |
| Centaurea (Perennial | 44 | Liatris (Gayfeather) | | Stokesia | 44 |
| Bachelor Button) | 41 | Lilium | | Stonecrop (Sedum) | |
| Cerastium (Snow-in-Summer) | 41 | Lily | | Sweet William (Dianthus) | 42 |
| Cinquefoil (Potentilla) | 44 | Linum (Flax) | | Teucrium (Germander) | 44 |
| Christmas Rose (Helleborus) | 42 | Lobelia (Cardinal Flower) | | Thalictrum (Meadow-Rue) | 44 |
| Columbina (Agrillaria) | 42 | Lupine | | Thermopsis (Carolina Lupine) | 44 |
| Columbine (Aquilegia) | 44 | Lupinus | | Thrift (Armeria) | 41 |
| Coral Bells (Heuchera) | 43 | Lychnis (Catchfly) | | Thyme | 44 |
| Coreopsis | 42 | Lythrum, Mørden Pink | 43 | Thymus (Thyme) | 44 |
| Cornflower (Centaurea) | 41 | Madwort (Alyssum) | 41 | Trollius (Globe-Flower) | 44 |
| Cottage Pink (Dianthus plumaris) | 42 | Meadow-Rue (Thalictrum) | | | 11.00 |
| Counge I min (Diamento pramaria) | | Mertensia (Va Blue-Bells) | | Verbascum (Mullein) | 44 |
| Daylily (Hemerocallis) | 43 | Miscanthus (Eulalia) | | Veronica (Speedwell) | 44 |
| Delphinium | 42 | Monarda (Bee Balm) | | Vinca (Myrtle, Periwinkle) | 44 |
| Dianthus (Sweet William) | 42 | Mullein (Verbascum) | | Violet (Viola) | 44 |
| Dicentra (Bleeding Heart) | 42 | Myrtle (Vinca, Periwinkle) | | Yarrow (Achillea) | 41 |
| | | | | , | |

THE PETER CASCIO NURSERY

Perennial Index

| Page No. Page No. Oblines a Varyowe) de Philippe No. Oblines a Varyowe) de Philippe No. Oblines resus (Heightes) de Philippe No. Schlings (Ulche Thirts) de Philippe No. It Notice of Figeboard) de Philippe No. It Notice of Figeboard) de Philippe No. de Philippe No. |
|--|
| mes. (Bogle) 41 Derected (Looperds-Benel) 42 Celevier Ursit Primers 43 Celevier Ursit Primers 43 Celevier (Bogles) 44 Celevier (Bogles) 45 Celevier (Bogles) |
| Issue (highest highest his Schinge (Uche Thirte) |
| Phones resus (Hollyhous) 42 Schings (Glebe Thirts) 42 Problems 48 Problems 48 Problems 48 Problems 48 Problems 48 Problems 48 Problems (House Sparse) 43 Problems (House Sparse) 43 Problems (House Sparse) 43 Problems (House Sparse) 43 Problems (House Sparse) 44 Problems (House Sparse) 45 Pro |
| Prince Policy Colored |
| nchusa (Alichel) II Edwins (Manchella) 42 Enchronalia (Angaresa Epuire) 43 |
| Company of the Compan |
| |
| AND THE PROPERTY OF THE PROPER |
| |
| And the state of t |
| |
| The state of the s |
| |
| |
| |
| |
| |
| |
| AL CHARLES STATE OF THE PARTY O |
| A CONTRACTOR OF THE PROPERTY O |
| |
| |
| |
| The second secon |
| (seeder Heart (section)) and themseemilia (layilly) is leave to the comparison of Section Ellies at the comparison of th |
| neder tink (Danish an plantage) 12 Manufaca (Manufacia) (Manufacia) (Manufacia) (Manufacia) (Manufacia) |
| to sealors in teach and the feature and the feature of the feature |
| |
| Samperovan (Mens and Chickens) 11 |
| Description (Cardyna) 43 Acres (Cardyna) 45 Acres Delay (Cardyna) 45 Acres Delay |
| |
| |
| All (solitoneV) Hawaran, by the transfer of the control of the con |
| 22 (aldredgetts) control (Source Source Control alphanes) 22 (elegenerall) origin and an elegenerally origin and a control of the control of |
| the continuous assentations and the continuous and |
| Therefore when minds to (mindrevolt) outil absurgant the (monal) musta |
| |
| Standard England (Selection Co. and Marie Co. and Co. |
| |
| A Company of the Comp |
| |
| |
| |
| |
| |
| |
| |
| The transfer adversely and the contract of the |
| the state of the s |
| artinat I Sweet William L. L. L. Mullen (Verbustum) |
| |
| |